Fluid Phase Equilibria, 57 (1990) 343–344
Elsevier Science Publishers B.V., Amsterdam – Printed in The Netherlands

Contents Volume 57 (1990)

Volume 57, Nos. 1–2

Review

High pressure fluid phase equilibria: experimental methods and systems investigated (1978–1987)
R.E. Fornari (Bahia Blanca, Argentina), P. Alessi and I. Kikic (Trieste, Italy) 1–33

Predictive power of effective intermolecular pair potentials: MD simulation results for methane up to 1000 MPa
B. Saager and J. Fischer (Bochum, F.R.G.) 35–46

Excess molar volume prediction for some hydrocarbons and related mixtures by means of simple cubic equations of state
S.P. Šerbanović, B.D. Djordjević and D.K. Grozdanić (Belgrade, Yugoslavia) 47–65

Group contribution equation of state based on a concentric shell intermolecular potential model
R.P. Currier and J.P. O'Connell (Gainesville, FL, U.S.A.) 67–87

Thermodynamics of associated solutions: excess properties of alcohol–alkane and alcohol–carboxylic acid mixtures
J. Zhao and Y. Hu (Shanghai, China) 89–104

Determination of compressibility factors and virial coefficients for the systems containing N_2, CO_2 and $CHClF_2$ by the modified Burnett method
S. Jiang, Y. Wang and J. Shi (Jiangsu, China) 105–117

Thermodynamics of methanol + Freon 113. Experimental data and application of association models
D. Fenclová, V. Dohnal (Prague, Czechoslovakia), M. Costas (Mexico, Mexico) and D. Patterson (Montreal, P.Q., Canada) 119–145

Excess enthalpy measurements using a novel highly refined microflow calorimeter and the prediction of vapour–liquid equilibria from such data
J.D. Raal and P. Naidoo (Durban, South Africa) 147–160

A novel sampling method for compositional analysis of high pressure fluids
A. Danesh and A.C. Todd (Edinburgh, Gt. Britain) 161–171

Vapour–liquid equilibrium of dialkylphenols in cyclohexane
A. Książczak, J.J. Kosiński and K. Moorthi (Warsaw, Poland) 173–190

Aqueous solutions containing amino acids and peptides—26. The enthalpies of interaction of some glycyl and alanyl peptides with sodium chloride and potassium chloride in water at 25 °C
K.G. Davis, M. Asuncion Gallardo-Jiménez and T.H. Lilley (Sheffield, Gt. Britain) 191–204

Solubilities of naphthalene in ($CO_2 + C_2H_6$) and ($CO_2 + C_3H_8$) up to 333 K and 17.7 MPa
G.R. Smith and C.J. Wormald (Bristol, Gt. Britain) 205–222

Elsevier Science Publishers B.V.

Corrigenda 223–225

Volume 57, No. 3

Analysis of infinite dilution partial molar volumes using a distribution function theory
D.B. McGuigan and P.A. Monson (Amherst, MA, U.S.A.) 227–247

A first order quantum correction to the Percus–Yevick hard-sphere equation of state
W.L. Kubic, Jr. (Los Alamos, NM, U.S.A.) 249–260

From the virial to the cubic equation of state
C. Tsonopoulos and J.L. Heidman (Florham Park, NJ, U.S.A.) 261–276

Ion association in aqueous solutions of electrolytes. II. Mathematical model for sulphates of bivalent metals
S. Wasylkiewicz (Wroclaw, Poland) 277–296

Vapour–liquid equilibria of binary mixtures of n-hexane, n-heptane and n-octane with 1,2-dichloroethane at 323.15 K
S.K. Chaudhari and S.S. Katti (Poona, India) 297–306

Liquid–liquid equilibria for the systems water–alcohols–acetic acid
M.M. Esquível and M.G. Bernardo-Gil (Lisbon, Portugal) 307–316

The critical temperatures and densities of the n-alkanes from pentane to octadecane
M.J. Anselme, M. Gude and A.S. Teja (Atlanta, GA, U.S.A.) 317–326

Liquid–liquid equilibria for ternary systems of cyclohexane–water and butanols. Data and predictions
D. Plačkov and I. Štern (Zagreb, Yugoslavia) 327–340

Author Index 341

Contents of Volume 57 (1990) 343–344